=> file caplus FILE 'CAPLUS' ENTERED AT 14:41:55 ON 23 MAR 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 23 Mar 2006 VOL 144 ISS 13 FILE LAST UPDATED: 22 Mar 2006 (20060322/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> d que

L1 STR

Structure attributes must be viewed using STN Express query preparation.

L3 12 SEA FILE=REGISTRY SSS FUL L1

L4 1 SEA FILE=CAPLUS L3

=> d l4 ibib abs hitstr

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:329920 CAPLUS

DOCUMENT NUMBER: 140:339186

TITLE: Preparation of 3-(cyclopenten-1-yl)benzyl- or

3-(cyclopenten-1-yl)heteroarylmethylamines and their

use as dopaminergic D2 antagonists for treating

schizophrenia

INVENTOR(S): Vacher, Bernard; Cuisiat, Stephane; Koek, Wouter;

Colpaert, Francis

PATENT ASSIGNEE(S): Pierre Fabre Medicament, Fr.

SOURCE: Fr. Demande, 36 pp.

CODEN: FRXXBL

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.				KIND		DATE			APPLICATION NO.			DATE					
				-													
FR 2845992			A1 20040423			FR 2002-12854					20021016						
FR 2845992			B1 20050204														
CA 25	CA 2502528				AA 20040429			CA 2003-2502528						20031016			
WO 20	WO 2004035561			A1 20040429			WO 2003-FR3053					20031016					
W	: AU,	BR,	CA,	CN,	JP,	MX,	US,	ZA									
R	W: AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	ΕĖ	, ES,	FI,	FR,	GB,	GR,	HU,	ΙE,	
	IT,	LU,	MC,	NL,	PT,	RO,	SE,	SI,	SK	, TR							
AU 2003301277				A1	A1 20040504				AU 2003-301277					20031016			
EP 15	EP 1551821			A1 20050713			EP 2003-808761					20031016					
R	: AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR	, IT,	LI,	LU,	NL,	SE,	MC,	PT,	
	IE,	SI,	FI,	RO,	CY,	TR,	BG,	CZ,	EE	, HU,	SK						
BR 2003015365				A 20050823				BR 2003-15365					20031016				
JP 2006508080				T2 20060309					JP 2004-544396					20031016			
US 2006014827				A1 20060119			US 2005-531587										
PRIORITY APPLN. INFO.:									2002-								
										2003-					0031		
OTHER SOURCE(S):			MAR	PAT	140:	3391	86	.,,					-				

GΙ

AB Title compds. I [W = CH, CH2, CHCH3, CCH3, C(CH3)2, a group C(CH2)2 (i.e., a carbon atom carrying two methylene groups so as to form a spirocyclopropane ring) or C(CH2)3 (i.e., a carbon atom carrying two methylene groups so as to form a spirocyclobutane ring) with provisos; X =

IT

RN CN

CH, N; Y = H, F; their salts and hydrates of the salts of addition with mineral acids or the pharmaceutically acceptable organic acids, their tautomers, pure enantiomers and the racemic mixts. of enantiomers] were prepared as dopaminergic D2 antagonists drugs for treating of schizophrenia. For example, II was prepared by reductive alkylation of 3-(Cyclopenten-1yl)benzaldehyde (preparation given) with 2-(2,2-Dimethyl-2,3-dihydrobenzofuran-7-yloxy)ethylamine (preparation given) in CH2Cl2 in the presence of MgSO4 at 60°. Selected I displayed affinity for D2 and 5HT1A receptors, with pKi ratios comparable to Nemonapride [pKi(D2)/pKi(5HT1A) = 1.3]. I are potent and efficient dopaminergic antagonists without secondary effects such as catalepsy in animals. I are useful for treating schizophrenic psychoses. 680203-70-7P, [2-(2,2-Dimethyl-2,3-dihydrobenzofuran-7yloxy)ethyl][3-(cyclopenten-1-yl)benzyl]amine 680203-72-9P 680203-73-0P, [2-(Benzofuran-7-yloxy)ethyl] [3-(cyclopenten-1yl)benzyl]amine 680203-75-2P 680203-77-4P, [2-(2-Methylbenzofuran-7-yloxy)ethyl][3-(cyclopenten-1-yl)benzyl]amine 680203-81-0P 680203-84-3P, [2-(2,3-Dihydrobenzofuran-7yloxy)ethyl][3-(cyclopenten-1-yl)benzyl]amine 680203-89-8P 680203-90-1P 680203-92-3P 680203-93-4P 680203-94-5P RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (dopamine D2 antagonist; preparation of 3-(cyclopenten-1-y1)benzyl- or 3-(cyclopenten-1-yl)heteroarylmethylamines as dopaminergic D2 antagonists for treating schizophrenia) 680203-70-7 CAPLUS

Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-[(2,3-dihydro-2,2-dimethyl-

7-benzofuranyl)oxy]ethyl]- (9CI) (CA INDEX NAME)

RN 680203-72-9 CAPLUS
CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-[(2,3-dihydro-2,2-dimethyl-7-benzofuranyl)oxy]ethyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CRN 680203-70-7 CMF C24 H29 N O2

1

CM

CM 2

CRN 110-17-8 CMF C4 H4 O4

Double bond geometry as shown.

RN 680203-73-0 CAPLUS

CN Benzenemethanamine, N-[2-(7-benzofuranyloxy)ethyl]-3-(1-cyclopenten-1-yl)(9CI) (CA INDEX NAME)

RN 680203-75-2 CAPLUS

CN Benzenemethanamine, N-[2-(7-benzofuranyloxy)ethyl]-3-(1-cyclopenten-1-yl)-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 680203-73-0 CMF C22 H23 N O2

CM 2

CRN 110-17-8 CMF C4 H4 O4

Double bond geometry as shown.

RN 680203-77-4 CAPLUS

CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-[(2-methyl-7-benzofuranyl)oxy]ethyl]- (9CI) (CA INDEX NAME)

RN 680203-81-0 CAPLUS

CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-[(2-methyl-7-benzofuranyl)oxy]ethyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 680203-77-4 CMF C23 H25 N O2

CM 2

CRN 110-17-8 CMF C4 H4 O4

Double bond geometry as shown.

RN 680203-84-3 CAPLUS

CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-[(2,3-dihydro-7-benzofuranyl)oxy]ethyl]- (9CI) (CA INDEX NAME)

RN 680203-89-8 CAPLUS

CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-[(2,3-dihydro-7-benzofuranyl)oxy]ethyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 680203-84-3 CMF C22 H25 N O2

CM 2

CRN 110-17-8 CMF C4 H4 O4

Double bond geometry as shown.

RN 680203-90-1 CAPLUS

CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-(spiro[benzofuran-2(3H),1'-cyclopropan]-7-yloxy)ethyl]- (9CI) (CA INDEX NAME)

RN 680203-92-3 CAPLUS

CN Benzenemethanamine, 3-(1-cyclopenten-1-yl)-N-[2-(spiro[benzofuran-2(3H),1'-cyclopropan]-7-yloxy)ethyl]-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 680203-90-1 CMF C24 H27 N O2

CM 2

CRN 110-16-7 CMF C4 H4 O4 Double bond geometry as shown.

RN 680203-93-4 CAPLUS
CN Benzenemethanamine, N-[2-[(2,3-dihydro-2,2-dimethyl-7-benzofuranyl)oxy]ethyl]-3-(2-fluoro-1-cyclopenten-1-yl)- (9CI) (CA INDEX NAME)

CM 1

CRN 680203-93-4 CMF C24 H28 F N O2

CM 2

CRN 110-17-8 CMF C4 H4 O4

Double bond geometry as shown.

REFERENCE COUNT:

4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>